



## H-1650-W TABLETOP HIGH SPEED CENTRIFUGE



LCD



LED

Bench top high speed centrifuge with Max speed: 16500r/min; Max RCF: 18930Xg;Max Capacity: 300ml(6X50ml),controlled by microprocessor, DC / AC brushless frequency conversion motor.

### Product Feature


- Microprocessor control, DC/AC brushless frequency conversion motor (by user's choice).
- Operated by touch panel, LED or LCD display (by user's choice).
- Electronic door interlock for safe operation and stainless steel chamber.
- RCF value can be calculated automatically.
- Many kinds of rotors are available for convenient use.

### Product Description

- Microprocessor control, DC/AC brushless frequency conversion motor (by user's choice).
- Operated by touch panel, LED or LCD display (by user's choice).
- Electronic door interlock for safe operation and stainless steel chamber.
- RCF value can be calculated automatically.
- Many kinds of rotors are available for convenient use.



ROTOR





Rotor	Max speed	Max RCF	Capacity
NO1 Angle rotor	16500	18930	12x1.5/2.2ml
NO2 Angle rotor	13500	12300	10x5ml
NO3 Angle rotor	12300	15550	12x10ml
NO5 Swing rotor	6000	3200	4x10 ml
NO6 Micro plate rotor	3000	1400	2x2x48well
NO7 Angle rotor	13500	16280	24x1.5/2.2ml
NO8 Angle rotor	13500	13810	48x0.5ml

## Product Specification

Model	H1650
Max speed	16500r/min
Max RCF	18930xg
Max capacity	12x10ml
Time range	0--99min short time centrifugation
Speed accuracy	+/- 30r/min
Power supply	AC220V 50Hz 5A
Dimension	325x420x325(mm)
Weight	18kg